

Presented at the International Union of Forestry Research Organizations (IUFRO) World Day, 28 September 2021

# Our Green Down Payment: Fighting Climate Change by Turning Buildings into Carbon Sinks with Timber Bamboo



Hal Hinkle, PhD CEO, BamCore Founder, World Bamboo Foundation hal@bamcore.com www.bamcore.com

### **Summary**

Humanity faces a climate precipice unless it significantly slows the course of climate change through both emission reduction and the removal of existing atmospheric carbon. Decisive action must be taken in the current decade. Yet, relative to carbon removal, the options are limited, primarily unproven, and costly to operate. Growing wood forests to maturity is an option for carbon removal, but harvested wood is also needed for durable products like buildings. Trees take many decades to accumulate their carbon removal, but when harvested, seldom more than 50% of the tree-captured carbon ends up being storable in a building. Timber bamboo can also be incorporated into buildings. A critical advantage of timber bamboo is that it can be harvested annually starting around year seven (after first planting) and then annually thereafter, making it five to six times

more carbon productive than comparable wood. Moreover, timber bamboo is at least four times more efficient in total fiber production for the same planted land area. If we accelerate our adoption of timber bamboo into the built environment, we can turn buildings into carbon sinks and make a crucial "green down payment" on the carbon removal needed in the current decisive decade.


## Code Red for Humanity

There is no escape from the ominous evidence of accelerating climate change seen in the increasing frequency and devastation of extreme weather events. July 2021 was the hottest month globally ever recorded. Only a few years back, the scientific and policy climate communities focused on 2050 and 2100 as key horizons. Now, President Biden and many others are calling the remaining eight and a fraction of years until 2030 "the decisive decade for climate action," and the UN Secretary General just issued a "code red for humanity" warning. The scientific opinion is unanimous: we must both reduce greenhouse gas (GHG) emissions *and* remove existing GHG from the atmosphere (also called negative emissions). This urgent push for change is necessary because the earth's climate system is comprised of multiple powerful tipping points, which once triggered can't be righted again and only accelerate further climate change.



### We Have Limited Options to Remove Carbon from the Atmosphere.

Most of us know a wide range of ways we can *reduce* emissions. But the methods to *remove* emissions already in the atmosphere are less familiar. Conceptually, we have maybe six broad options. The chart below from a 2018 article by a global group of nineteen independent scientists summarizes six major carbon removal options (A to F). Each option is assumed to have reached its maximum scaling.<sup>1</sup> The cost (or profit) to remove a ton of carbon dioxide is shown on the vertical axis, and the theoretical amount of carbon dioxide removed (in gigatons/year) is shown on the horizontal axis.



Notice that all six options A to F fall below the cost-profit breakeven line, meaning they will cost money to remove GHGs. The upper three of these six options, afforestation and reforestation (A), agricultural soil carbon sequestration (B), and biochar (C), are "natural climate solutions." They are all mature approaches and can be implemented today, but as shown still cost cash to capture carbon. Of these, forestation and agriculture cost the least to pursue and are the most scalable. The lower three options, enhanced weathering (D), bioenergy with carbon capture and sequestration (E), and direct air capture with sequestration (F), are "geoengineering solutions" and require a place to store the captured carbon for the long term. The geotechnical solutions are far more speculative, less immediately scalable, and are expected to cost multiples more per ton when and if they can begin to scale than the natural climate options.



The forestation option (G) was placed above the cost-profit line, meaning forestation can also be profitable to remove carbon from the atmosphere. Most scientific projections and policy reviews of forestation approaches assume we spend money to plant trees to grow and capture carbon and leave the trees standing. But this assumption fails to recognize our many millennial relationship with trees. We also harvest them (hopefully sustainably) to make durable harvested wood products. These products can store the captured carbon in buildings and keep it out of the atmosphere for many generations. When you add the harvested wood products to the equation, you can pay for the cost of forestation with the profits. This multiplies the amount of carbon removal forestation that we can afford, because it is profit-making in the ordinary course of human economic activity.




### Planting a Lot of Trees to Remove the Carbon Can't Do It


Realistically, wood forestation, even with harvested wood products, can't remove sufficient atmospheric carbon. There are five reasons. First, trees just don't grow fast enough to help slow climate change in the critical short term. Trees accumulate their carbon over many decades. Growth for most tree species in the early years is relatively small compared to growth after the first two decades (though there are a couple of exceptions). We already recognize the forestation opportunity. At least five multinational afforestation/reforestation agreements have been forged with target timelines (REDD+, Bonn Commitment, Initiative 20x20, New York Declaration on Forests, and AFR100). But the progress across all of them has been slow, largely due to a lack of funding to subsidize the cost. The time window for humankind to rely principally on address decisive decade forestation to help our is closing already closed. Realistically, we either have to develop a whole new generation of super fastgrowing trees (and some are working on this), or we must turn to grass.

Timber bamboo is a giant grass that grows to its full height in its first year. Final height can range from 60 to over 100 feet when growing from a mature stand, which happens four to seven years after the initial planting. Fortunately, like trees, timber bamboo can also be harvested and turned into durable building products that store the captured carbon (option H added to the above chart). But, as a grass, timber bamboo grows new culms (stalks) from the underground root system that can be harvested annually by intercutting (never clear-cutting). This annual regeneration cycle allows timber bamboo to constantly capture carbon and produce durable harvested wood products every year, starting around year seven. Timber bamboo grows prolifically in the tropical and subtropical areas of the Americas', Asia, and Africa. Globally, timber bamboo covers about 1% of the land area that tree forests cover.



Second, as valuable as trees and wood are to us in capturing carbon and providing buildings, the process of recovering the usable fiber from wood that can go into buildings is notably inefficient. Harvesting trees in North America (even if not clear-cutting) results in only a 60-70% recovery of the carbon in the tree. Then at the mill, the material recovery ranges from only 40% to 80%.<sup>3</sup> When these recoveries are combined, the carbon fiber stored in a wood building is at best 24% to 56% of the carbon captured by trees. Turning bamboo into harvested bamboo building products is less well studied than wood. Still, our estimates of overall carbon recovery from the bamboo culm are well above the wood numbers, both in the forest and at the mill. We studied the overall carbon flux of timber bamboo compared to commonly used North American framing timber using the United States Forestry Services data. The results were surprising. As the chart below illustrates, in the crucial first 20 years, timber bamboo captured carbon over 400% better than wood. When studied for a more extended 75-year period, timber bamboo and its resultant harvested building products outperform wood by 500% to 600%, depending on assumptions used.<sup>4</sup>










Third, to reach scale, wood forestation will require vast areas of land, which puts it in competition with our needs for expanding cities, growing food, biodiversity preservation, and even land needed for tobe-developed geoengineering climate solutions like bioenergy with carbon capture and storage. Fortunately, in terms of land-use intensity, timber bamboo is over four times more efficient than trees. This is because of bamboo's faster growth and the annual harvesting cycle compared to wood's slower growth and 25-75 year harvesting cycle. The diagram to the right is adapted from an LCA study by Quantis-International, illustrates bamboo's land-use efficiency. To produce the vertical framing timber for a single prototype house each year requires 1.25 hectares of wood versus .27 hectares of timber bamboo.<sup>v</sup>

# 1.25 Ha/yr No. American Timber 27 Ha/yr Timber Bamboo

Fourth, structurally, while wood is optimally effective in the low-rise building sector, it can't quickly displace high carbon footprint concrete and steel dominating the mid and high-rise markets, which is where significant growth will occur in the next three decades throughout the developing world. We must reduce the use of concrete and steel in our buildings because they generate more that 10% of global GHG emission. And despite many efforts to lower the carbon intensity of concrete and steel, there are high theoretical limitations to the likely improvements to the carbon footprint of concrete and steel. Fortunately, timber bamboo mechanical properties typically exceed wood by 25% to 100% for the same volume or density as illustrated in the chart below. Some engineers even refer to timber bamboo as vegetal steel. Incorporating timber bamboo alone or in conjunction with wood is a vital tool to help decarbonize mid and high-rise buildings.





Fifth, we have conflicting goals relative to wood forestation. We want it to capture and store carbon and to provide structural products for buildings (and for paper, pulp, mulch, etc.). We include it in carbon offset programs. But we also harvest wood for shelter and other needs and in doing such produce large emission events within several years of the harvest, resulting in typically less than half the removed carbon being stored long term in a building. If we don't harvest forests commercially, where will we get the fiber for durable goods and buildings? Since timber bamboo can be intercut annually, there is never this harvest emission event releasing the decades of stored carbon. The rest of the bamboo clump just keeps growing and putting up new shoots. Effectively, we can use timber bamboo to farm carbon perennially and store the carbon in buildings.





Timber Bamboo Can Make an Immediate "Green Down Payment" to Decarbonize Buildings in the Decisive Decade

Given the speed of growth, profit opportunity, land-use efficiency, and strength advantages, timber bamboo is uniquely positioned to help humanity make a vital "green down payment" on our need to remove carbon from the atmosphere in the immediate future. We accept that all the options in the carbon removal portfolio are important to explore in the long run. But we can't get to the long run unless we can navigate around the approaching climate tipping points. This means our focus must not be just on the tantalizing high-technology, geoengineering solutions until after we know we can navigate around the tipping points.

So, why isn't more being done to advance forestation with harvested wood products and especially with timber bamboo? Relative to the adoption of timber bamboo carbon removal, we do not face a land-use limitation because it is five times more efficient than trees. (Neither should be the carbon footprint of oceanic transport of bamboo HWP, which is relatively small compared to the benefit.) Globally, the area of deforested or already disturbed land is estimated to range from 350 to 1780 million hectares.<sup>8</sup> More specifically, 500 million hectares of this degraded land are in the tropics and subtropics, a prime growing area for timber bamboo.<sup>7</sup> In the theoretical case that just the degraded tropical areas are planted with timber bamboo, our estimate of *total carbon removal is over 130 gigatons in 20 years*, which is about the amount of 3 years of total global emissions. Even a fraction of this would be a crucial green down payment as we explore and develop the less-proven carbon removal options.



Afforestation and reforestation are often categories for carbon credit programs that subsidize the forest's carbon offset. Bamboo afforestation is almost always ignored as a possible source of carbon credits. But the structural fiber is needed and it's more efficient to fight climate change with timber bamboo fiber than wood. If forestation carbon credit programs were restructured to include timber bamboo and the captured carbon that is ultimately sequestered in buildings, then timber bamboo could drive a powerful, useful, and profitable way to farm carbon efficiently while also making an immediate "green down payment" on carbon removal.









<sup>1</sup> Minx JC, et al. (2018). Negative emissions- Part 1: Research landscape and synthesis. Environmental Research Letters.

<sup>2</sup> Griscom, BC, et al. (2017) Natural climate change solutions. Proceedings of the National Academy of Sciences.

<sup>3</sup> \_\_\_\_\_\_. (2019). Negative Emissions Technologies and Reliable Sequestration: A Research Agenda. National Academies Press.

<sup>4</sup> Hinkle W, McGinley, M., Hargett, T., Dascher, S. (2019). Carbon Farming with Timber Bamboo: A Superior Sequestration System Compared to Wood. BamCore White Paper.

<sup>5</sup> Thorbecke M, Dettling J. (2019) Evaluation of the environmental benefits of the BamCore Prime Wall System: A screening-level environmental life cycle assessment with comparisons to wood framing and SIPs. Quantis-International.

<sup>6</sup> Smith P, et al. (2015). Biophysical and economic limits to negative emissions. Nature Climate Change.

<sup>7</sup> \_\_\_\_\_\_. (2018). Greenhouse gas removal. The Royal Society.

<sup>8</sup> Houghton RA. (2015). A role for tropical forests in stabilizing atmospheric CO2. Nature Climate Change

Hal Hinkle, PhD CEO, Director, BamCore Founder, World Bamboo Foundation Former CEO, BrokerTec Global

Hal is the CEO of BamCore and its parent Global Bamboo Technologies, Inc. He was introduced to BamCore first in 2014 when building a home in Sonoma County, CA. That led to a deep dive into understanding timber bamboo's unique growth and use potentials. Following his initial investments in BamCore, he assumed the leadership of BamCore in January 2017 and built the team that is taking BamCore forward on its mission to lower the carbon, cost, and labor now going into the built world.

During his 22 years at Goldman Sachs, Hal successfully started multiple businesses. After Goldman, he started and successfully sold BrokerTec Global. In 2004, Hal established the Hinkle Charitable Foundation to advocate for cultural and climate mitigation causes. In 2021, he also established the World Bamboo Foundation to specifically advocate for the recognition of timber bamboo as a powerful tool to address both climate change and mitigate global rural poverty. He holds a BS degree (with Dean's Honors) in biochemistry from UC Irvine, an MBA (*Beta Gamma Sigma*) from Columbia Business School and MS, MPhil, and Ph.D. degrees from Columbia Medical School. While at Columbia Medical School, he was selected by the National Science Foundation as a Graduate Research Fellow.